



Director Airspace
& Aerodrome Regulations
HQs PAKISTAN CIVIL AVIATION AUTHORITY
Jinnah International Airport
Karachi-75200
Tele: 9221 - 99242741
Fax: 9221 - 99242676
E-mail: daar@caapakistan.com.pk


HQCAA/1117/005/ARAS(PIC)/1039

Dated: 27th -November-2013

**REVISION OF NOC FOR PROVISION OF HEIGHTS FOR CONSTRUCTION OF BUILDINGS AT
FOREIGN OFFICE EMPLOYEES COOPERATIVE HOUSING SOCIETY, MOUZA KOLIYAN,
LAKHOO, RUPA, NISRALA, TEHSIL & DISTRICT RAWALPINDI**

1. Reference is made to your letter No. FOECHS/CAA/MOD/01 dated: 04-11-2013 on the subject.
2. Civil Aviation Authority has no objection to the construction of **200 feet (Two hundred feet)** Above Ground Level (AGL) or **1883 feet** Above Mean Sea Level (AMSL) high buildings (including over head water tank, antenna, Neon sign board etc. on roof top) at (333453.27619N 725603.38661E, 333443.17784N 725553.97490E, 333413.52991N 725555.99388E and 333354.86660N 725552.64545E) at Foreign Office Employees Cooperative Housing Society, Mauza Koliyan, Lakhoo, Rupa, Nisrala, Tehsil & District Rawalpindi, with the following terms and conditions:-
 - a) Height of the building should not be more than **200 feet (Two hundred feet)** Above Ground Level (AGL) or **1883 feet Above Mean Sea Level (AMSL)** including over head water tank, antenna, Neon sign board etc. on roof top.
 - b) Obstruction light must be provided on top of the building in accordance with the specification contained in Para 6.3 of chapter 6 of Aerodrome Standard Manual of Pakistan (ASMP) (copy enclosed).
 - c) The refuse shall not be kept open but always be stored in covered containers to ensure that birds are not attracted.
 - d) Civil Aviation Authority shall not accept liability for any loss(s)/damage(s) /inconvenience suffered due to noise or other aviation related activities or any other claim by other Organizations/person(s).
 - e) Civil Aviation Authority reserves the right to cancel the said NOC if the terms & conditions are not complied with and in addition, if the work is not commenced within one year from the date of issue, the NOC will be treated as canceled.
 - f) This NOC is only valid for height clearance and does not cover the NOCs required by other organization/agencies etc.
 - g) NOC from Director Air Traffic Services, Air Headquarters PAF, Islamabad must also be obtained before the start of work.
 - h) Completion of work is also required to be notified to HQCAA for the issuance of notices to the Aviators.
3. This NOC is only related to the clearance / permissible height at proposed location and does not absolve the holder for fulfilling requirement of other concerned departments. Moreover, any omission due to submission of incorrect data or marginal error **shall not entitle** the holder for any claim whatsoever in future. In addition at any stage if, any dispute of land on the said survey numbers arises with CAA, this NOC shall be canceled immediately.

Encl. As stated in Para 2(b)


(MUHAMMAD SALEEM ATHAR)
Director Airspace and
Aerodrome Regulations

✓ Foreign Office Employees Cooperative Housing Society,
House # 2-B, Street # 10, F-8/3,
Islamabad.

Copy to:-

- Director ATS, Air Headquarters, Islamabad.
- Airport Manager BBIAP, Islamabad.
- PD NBBIAP, Fateh Jhang, Islamabad.
- A/GM Procedure Design, HQCAA.
- Incharge AIS HQCAA